SUDBURY ENVIRONMENTAL STUDY

AN ANALYSIS OF THE SUDBURY ENVIRONMENTAL STUDY NETWORK PRECIPITATION ACIDITY DATA

SES 011/82

FALL 1982

Ontario
Ministry of the Environment

The Honourable
Keith C. Norton, Q.C.,
Minister

Gérard J. M. Raymond
Deputy Minister

SUDBURY ENVIRONMENTAL STUDY

AN ANALYSIS OF THE SUDBURY ENVIRONMENTAL STUDY NETWORK PRECIPITATION ACIDITY DATA

June - September, 1978

SES 011/82

by

Atmospheric Research and Special Studies Program
Air Resources Branch
Ontario Ministry of the Environment
880 Bay Street, 4th Floor
Toronto, Ontario, Canada, M5S 1Z8

October 1982

S.E.S. Coordination Office
Ontario Ministry of Environment
6th Floor, 40 St. Clair Ave. W.
Toronto, Ontario, Canada, M4V 1M2
Project Coordinator: E. Piché

SES 011/82
ISBN 0-7743-6840-3
ARB-TDA 84-79

First Printing - February 1979

Second Printing - October 1982

ISBN 0-7743-6840-3

AIR RESOURCES BRANCH

Atmospheric Research and Special Studies Program

An Analysis of the Sudbury Environmental Study Network Precipitation Acidity Data

June-September, 1978

ARB-TDA-84-79

Ministry of the Environment,
Air Resources Branch,
880 Bay Street,
Toronto, Ontario.
M5S 1Z8

February, 1979

TABLE OF CONTENTS

	Page
LIST OF TABLES	i
LIST OF FIGURES	iii
ACKNOWLEDGEMENT	viii
SUMMARY	ix
CONCLUSIONS	x
1. INTRODUCTION	1
2. PURPOSE	2
3. THE NETWORK	2
3.1 Sample Collection	2
3.2 Chemical Analysis of Samples	4
4. DISCUSSION	4
4.1 Data Presentation	4
4.1.1. Event Sample	4
4.1.2. Cumulative Sample	7
4.2 Data Interpretation	7
4.2.1. Event Data	8
4.2.1.1. Qualitative Analysis	9
4.2.1.2. Quantitative Analysis	12
4.2.2. Cumulative Network Data	13
Appendix 1 - Temporal Variation of Event Precipitation Sampling Results	62
Appendix 2 - Temporal Variation of Cumulative Precipitation Sampling Results	83
Appendix 3 - Contour Maps of Precipitation Volume, pH and Hydrogen Ion Deposition for Several Rainfall Events During the Smelter Shutdown-	99
Appendix 4 - Volume, pH and Hydrogen Ion Deposition Maps for the Cumulative Precipitation Samples	131

LIST OF TABLES

		Page
1.	Details of the Cumulative Precipitation Network---	4
2.	Details of Event Sampling Network----------	6
3.	Details of Precipitation Sample Chemical Analysis-	9
	EVENT SAMPLING RESULTS FOR JUNE-SEPTEMBER 1978	
4.	Ramsey----------	18
5.	Burwash ----------	19
6.	New Sudbury ----------	21
7.	Long Lake ----------	22
8.	Wanup ----------	23
9.	Lively ----------	25
10.	Azilda ----------	26
11.	Skead ----------	27
12.	McCharles Lake ----------	28
13.	Windy Lake----------	29
14.	Lake Wanapatei ----------	30
15.	Verner ----------	31
16.	North Bay ----------	32
17.	Killarney ----------	33
18.	Charleton Station ----------	34
19.	Markstay ----------	35
20.	Lake Panache ----------	36
21.	Thessalon ----------	38
22.	Laurentian University ----------	39
23.	Grundy Park ----------	40

List of Tables (continued)

Page

CUMULATIVE SAMPLING RESULTS FOR 1978

24. Burwash ---------- 41
25. Panache ---------- 42
26. Windy Lake ---------- 43
27. Hanmer ---------- 44
28. Killarney ---------- 45
29. St. Charles ---------- 46
30. Gowganda ---------- 47
31. Elliott Lake ---------- 48
32. North Bay ---------- 49
33. Parry Sound ---------- 50
34. Marten River ---------- 51
35. Ramsey ---------- 52
36. Chiniguchi---------- 53
37. Massey ---------- 54
38. River Valley ---------- 55
39. Bear Island ---------- 56
40. Noelville ---------- 57

41. Operation Conditions for Major Industries in Sudbury, 1978. ---------- 58

42. Observed Average H_F Concentration and Deposition During Shutdown and Nonshutdown Period ---------- 59

LIST OF FIGURES

Page

1. The Cumulative Precipitation - Sampling Network--- 60
2. The Event Precipitation Sampling Network---------- 61

EVENT SAMPLING RESULTS FOR JUNE-SEPTEMBER, 1978

A1-1 Ramsey ---------- 63
A1-2 Burwash ---------- 64
A1-3 New Sudbury ---------- 65
A1-4 Long Lake ---------- 66
A1-5 Wanup ---------- 67
A1-6 Lively ---------- 68
A1-7 Azilda ---------- 69
A1-8 Skead ---------- 70
A1-9 McCharles Lake ---------- 71
A1-10 Windy Lake ---------- 72
A1-11 Lake Wanapatei ---------- 73
A1-12 Verner ---------- 74
A1-13 North Bay ---------- 75
A1-14 Killarney ---------- 76
A1-15 Charleton Station ---------- 77
A1-16 Markstay ---------- 78
A1-17 Lake Panache ---------- 79
A1-18 Thessalon ---------- 80
A1-19 Laurentian University ---------- 81
A1-20 Grundy Park ---------- 82

List of Figures (continued)

Page

CUMULATIVE SAMPLING RESULTS FOR 1978

A2-1 Burwash ---------- 84

A2-2 Panache ---------- 85

A2-3 Windy Lake ---------- 86

A2-4 Hanmer ---------- 87

A2-5 Killarney ---------- 88

A2-6 St. Charles ---------- 89

A2-7 Gowganda ---------- 90

A2-8 Elliott Lake ---------- 91

A2-9 North Bay ---------- 92

A2-10 Parry Sound ---------- 93

A2-11 Marten River ---------- 94

A2-12 Ramsey ---------- 95

A2-13 Massey ---------- 96

A2-14 River Valley ---------- 97

A2-15 Noelville ---------- 98

A3-1A Contours of Precipitation pH - July 18-19, 1978--- 100

A3-1B Contours of Free Hydrogen Ion Deposition(mg/m^2) July 18-19, 1978 ---------- 101

A3-2A Contours of Precipitation pH - July 19-20, 1978--- 102

A3-2B Contours of Free Hydrogen Ion Deposition (mg/m^2) July 19-20, 1978 ---------- 103

A3-3A Contours of Collected Precipitation Volume (l) July 22-23, 1978 ---------- 104

A3-3B Contours of Precipitation pH - July 22-23, 1978--- 105

A3-3C Contours of Free Hydrogen Ion Deposition (mg/m^2) July 22-23, 1978 ---------- 106

List of Figures (continued)

	Page
A3-4A Contours of Collected Precipitation Volume (l) July 26-27, 1978	107
A3-4B Contours of Precipitation pH - July 26-27, 1978	108
A3-4C Contours of Free Hydrogen Ion Deposition (mg/m^2) July 26-27, 1978	109
A3-5A Contours of Collected Precipitation Volume (l) July 28-29, 1978	110
A3-5B Contours of Precipitation pH - July 28-29, 1978	111
A3-5C Contours of Free Hydrogen Ion Deposition (mg/m^2) July 28-29, 1978	112
A3-6A Contours of Collected Precipitation Volume (l) July 29-30, 1978	113
A3-6B Contours of Precipitation pH - July 29-30, 1978	114
A3-6C Contours of Free Hydrogen Ion Deposition (mg/m^2) July 29-30, 1978	115
A3-7A Contours of Collected Precipitation Volume (l) August 2-3, 1978	116
A3-7B Contours of Precipitation pH - August 2-3, 1978	117
A3-7C Contours of Free Hydrogen Ion Deposition (mg/m^2) August 2-3, 1978	118
A3-8A Contours of Collected Precipitation Volume (l) August 8-9, 1978	119
A3-8B Contours of Precipitation pH - August 8-9, 1978	120
A3-8C Contours of Free Hydrogen Ion Deposition (mg/m^2) August 8-9, 1978	121
A3-9A Contours of Collected Precipitation Volume (l) August 15-16, 1978	122
A3-9B Contours of Precipitation pH - August 15-16, 1978	123
A3-9C Contours of Free Hydrogen Ion Deposition (mg/m^2) August 8-9, 1978	124

List of Figures (continued) Page

A3-10A Contour of Collected Precipitation Volume (l) August 16-17, 1978 ---------- 125

A3-10B Contours of Precipitation pH - August 16-17, 1978- 126

A3-10C Contours of Free Hydrogen Ion Deposition (mg/m^2) August 16-17, 1978 ---------- 127

A3-11A Contour of Collected Precipitation Volume (l) August 18-19, 1978 ---------- 128

A3-11B Contours of Precipitation pH - August 18-19, 1978- 129

A3-11C Contours of Free Hydrogen Ion Deposition (mg/m^2) August 18-19, 1978---------- 130

A4-1A Contours of Cumulative Precipitation Volume (l) Early July, 1978; INCO-only Operating Period------ 132

A4-1B Contours of Cumulative Precipitation pH Early July, 1978; INCO-only Operating Period------ 133

A4-1C Contours of Cumulative Precipitation H_F^+Deposition (mg/m^2/day) Early July, 1978; INCO-only Operating Period------ 134

A4-2A Contours of Cumulative Precipitation Volume (l) Late July, 1978; No Local Sources Operating ------ 135

A4-2B Contours of Cumulative Precipitation pH Late July, 1978; No Local Sources Operating ------ 136

A4-2C Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2/day) Late July, 1978; No Local Sources Operating ------ 137

A4-3A Contours of Cumulative Precipitation Volume (l) Early August, 1978 No Local Sources Operating----- 138

A4-3B Contours of Cumulative Precipitation pH Early August, 1978; No Local Sources Operating---- 139

A4-3C Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2/day) Early August, 1978; No Local Sources Operating---- 140

A4-4A Contours of Cumulative Precipitation Volume (l) Late August, 1978 Falconbridge-only Operating Period ---------- 141

A4-4B Contours of Cumulative Precipitation pH Late August, 1978; Falconbridge-only Operating Period ---------- 142

List of Figures (continued)

		Page
A4-4C	Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2) Late August, 1978, Falconbridge-only Operating Period	143
A4-5A	Contours of Cumulative Precipitation Volume (l) Early September, 1978; INCO & Falconbridge Both Operating	144
A4-5B	Contours of Cumulative Precipitation pH Early September, 1978; INCO & Falconbridge Both Operating	145
A4-5C	Contours of Cumulative Precipitation H_F^+ Deposition ($mg/m^2/day$) Early September, 1978; INCO & Falconbridge Both Operating	146

ACKNOWLEDGEMENTS

The air parcel trajectory computations for this report were carried out by Mr. Joel Kurtz of the Air Quality and Meteorology Section, Air Resources Branch. This contribution, as well as his helpful discussions, are gratefully acknowledged. Thanks are also due to the Water Quality Section of the Laboratory Services Branch, Ontario Ministry of the Environment, for their special efforts in providing a rapid sample analysis and to the many volunteers in the Sudbury area who donated their time for collection of the event samples. Helpful comments on the text were provided by the Air Quality and Meteorology Section, The Water Quality Section of the Laboratory Services Branch, and the Northeastern Region of the Ministry of the Environment.

SUMMARY

Data from the Sudbury Environmental Study precipitation chemistry network, collected during the period June to September, 1978, were examined to see if there was any detectable decrease in precipitation acidity, or acid loading, during the smelter shutdown period in July and August. During this period, twenty event samplers, as well as seventeen Sangamo, wet-only, cumulative collectors, were operational. Most of the samplers were located within a radius of 100 km of Sudbury, and the comments in the present report are confined to this particular area.

The shutdown period data indicate that the "background" component to precipitation acidity, and acid loading, in the area is very significant and highly variable. Statistical analysis of the data reveals no significant difference in the precipitation free acidity (as indicated by the pH), or acid loading during the shutdown and operating periods. This suggests that, in the long term, the contribution of INCO and Falconbridge to the acidic precipitation problem in the Sudbury area may be relatively small with respect tc that due to long range transport. However, at this time one cannot definitely conclude that smelting operations have no significant effect on the precipitation acidity and acid loading either within or beyond (e.g., Muskoka Lakes) the study area. The period considered in this report, although very interesting because it included the smelter shutdown, was only three months long. As more data become available, a more refined meteorological stratification than was possible here, as well as inspection of other supplementary information on sample chemical composition, should lead to a more accurate assessment of the impact of smelting operations.

CONCLUSIONS

The results obtained from the event and cumulative precipitation networks during June-September, 1978 have been examined and the following conclusions may be drawn:

- Even in the absence of smelter operations, there is a significant acid loading due to precipitation in the Sudbury area, which can only be attributed to long-range transport.
- The time and space variability of precipitation pH and acid loading in the area can be very large, and depends on air parcel history, local meteorology and storm dynamics.
- The data from the limited monitoring period considered here show no significant difference between shutdown and operating period precipitation acidities. A similar conclusion applies to acid loading. This observation suggests that the contributions due to INCO and Falconbridge to the acidic precipitation problem in the Sudbury area are, in the long term, relatively small compared to the component originating from long range transport. However, one cannot definitely conclude that smelter operations have no effect on the above parameters on a localized scale - the result is largely due to the sizeable acidic input from sources outside the Sudbury area.
- Final conclusions regarding the impact of smelter emissions on precipitation chemistry in the Sudbury area will have to await the completion of a more

detailed meteorological analysis than that in the present report (to identify air parcel trajectories corresponding to different emission heights), as well as an examination of supplementary data (precipitation metals concentrations, evidence of plume impingement from continuous SO_2 analyser records, etc.) to more clearly define exactly what happens to the local precipitation acidity when there is definite evidence of smelter emissions in the vicinity of the sampler. This work is now in progress.

1. INTRODUCTION:

In recent years there has been growing general concern over the acidity of precipitation, and its effects on the ecosystem. Increasing acidification of lakes has been noted in Scandinavia and the N.E. United States, and in the Sudbury and Muskoka areas of Ontario. There has been a great deal of speculation on the contributions of Sudbury smelter emissions to this problem. For this reason the Sudbury Environmental Study has undertaken several precipitation chemistry studies in the area.

This is a preliminary report describing some results of precipitation sampling in the Sudbury area, obtained by the Air Resources Branch's Special Studies Unit, as part of the Sudbury Environmental Study (SES). Attention is focussed on the INCO and Falconbridge shutdown period, and the weeks immediately preceding and following that period. Thus precipitation event data are included from June 21 to September 15, 1978. The Falconbridge smelter was shut down from July 1 - August 21, while INCO was not operating from July 17 - August 27.

An important objective of the SES precipitation sampling network is to assess the contribution of the INCO and Falconbridge smelting operations to the precipitation loading of acids and metals in the Sudbury area (i.e., within a radius of approximately 100 km of Sudbury). The shutdown period provided a rare opportunity to study precipitation quality in the absence of the major industrial polluters in the Sudbury basin. Precipitation pH and acid loading measurements were examined in the light of concurrent meteorological and smelter operating conditions, and as a result of this analysis, some preliminary conclusions were possible. However, these

conclusions should be regarded as tentative only, pending the collection of a larger data base once the current strike at INCO has ended. It should also be noted that present discussion is confined to a consideration of pH and acid loading, whereas the samples are currently being analysed for various other parameters (sulfate, nitrate, trace metals, etc.) which will probably serve to further elucidate the problem. Also, the conclusions of the present report do not necessarily apply to the related problem of metals deposition by precipitation, which is currently being assessed.

This report includes a brief description of the Air Resources Branch precipitation sampling network in the Sudbury area, and the data currently being generated by the network. The precipitation pH and acid loading data during the June 21-September 15 period are presented, and discussed with reference to meteorological and smelter operation variables. The results of air parcel trajectory analyses are included, to determine the origin of the air masses associated with the precipitation measurements. Conclusions are presented in Section 5.

2. PURPOSE:

The major objective of the work described in this report is to evaluate the relative contribution of local smelters and distant pollution sources to the acidic precipitation problem in the Sudbury area. The analysis is done by using data collected over a period of approximately three months, including the weeks when the smelters were shut down.

3. THE NETWORK:

3.1 Sample Collection -

Precipitation data were collected using two types of samplers-event (in which the collector was exposed for 24 hours)

and cumulative (in which the samples were collected over a period of approximately two weeks to one month).

Sangamo wet-only cumulative samplers (in which the 0.20 m diameter collection vessel is uncovered only during periods of precipitation) were used at seventeen locations, as indicated in Table 1 and Figure 1. These locations were selected to minimize, as far as possible, sample contamination due to local pollution sources and human activities (e.g., house chimneys, automobile traffic, etc.). All Sangamo sampler stations had a precipitation storage gauge to measure accumulated precipitation, while at some, continuous precipitation records were also obtained with Fisher-Porter and Tipping Bucket recording gauges. These are indicated in Table 1.

The event samples were collected by volunteers, using a polyethylene bag inserted in a polyethylene bucket approximately 0.4 m in diameter and 0.6 m deep. If precipitation was forecast on the 8 a.m. news, a fresh bag was placed in the bucket. If precipitation did indeed occur during the next 24 hours, the bag contents were poured into a plastic bottle and stored in the refrigerator pending chemical analysis. All possible precautions were taken to avoid sample contamination (e.g., disposable plastic gloves were used when handling bags; bags which had not collected any precipitation during 24 hours were not reused).

There were 20 event sites, details of which are summarized in Table 2 and Figure 2. With the exception of 3 sites at Thessalon (195 km), Ramsey (145 km) and North Bay (125 km), all sites were located within a radius of 75 km from the Sudbury area.

3.2 Chemical Analysis of Samples -

The collected, unfiltered samples were submitted for analysis to the Laboratory Services Branch of the Ministry of the Environment for the following parameters: pH, acidity, SO_4, NO_3, NH_4, Ca, Si, Na, K, Mg, Cl, Br, Fe, Ni, Cu, Pb, Zn, Al, Cr, and Cd. The analysis methods used are summarized in Table 3. Analysis for parameters other than pH and acidity was too incomplete at the time of writing to warrant inclusion in this report.

It should be pointed out here that pH is a measure of the free acidic component of precipitation due to strong mineral acids (mainly sulfuric and nitric). It is equal to the negative logarithm of the free hydrogen ion concentration (in moles per litre). Total acidity, on the other hand, which is related to the total hydrogen ion, is a measure of the capacity of the precipitation sample to neutralize base, and is made up of the contribution due to strong acids, weak acids (carbonic acid, organic acids), hydrolyzable metallic salts, etc. The discussion in this report will focus on free hydrogen ions, as their concentration (H_f) is a measure of free acidity and is directly related to pH. Total acidity values (H_T) are included so that the relative contribution of strong acids and other acidic substances can be assessed.

The pH measurements are estimated to be accurate to within approximately 0.1 unit; the total acidity values, to within 0.002 mg H^+/litre.

4. DISCUSSION:

It should be noted at the outset of the discussion that the data presented in Tables 4 to 40 and Figures A1-1 to A2-15 are raw data only. A number of objective criteria referred to in the text were applied to screen these data and the qualitative

and quantitative analyses are based on screened data only. Time constraints prevented the screened data from being presented at the time of writing but the data are now available at the Air Resources Branch.

4.1 Data Presentation -

4.1.1 Event Samples -

Tables 4 to 23 summarize the pH and acidity of the event samples collected. Not all samples were collected exactly over a 24 hour duration, but only those representing periods of less than 30 hours are included for calculations. The exact sampling periods are indicated in columns 1 to 3. The volume of precipitation is given in column 4. The sample pH was measured at Sudbury prior to sending samples to Toronto for analysis at LSB (- generally the agreement between Sudbury and LSB values was good). All reported pH values are those determined by MOE/LSB, except for a few cases in which insufficient volume was collected for both Sudbury and laboratory measurements. In these cases the Sudbury pH values are given. In Tables 4 to 23, these are indicated by (F). Results of acidity determination are incomplete because they were either not available from the MOE/LSB as yet at the time of writing or insufficient sample volume was collected for laboratory analysis. Free hydrogen ion H_F^+ and total hydrogen ion H_T^+ concentrations were calculated according to the following expressions:

$$\left[H_F^+\right] = 10^{-pH} \times 10^3 \text{ (mg/L)}$$

and

$$\left[H_T^+\right] = \text{Acidity}/50 \text{ (mg/L)}$$

The deposition of H_F and H_T are given in the last two columns in Tables 4 to 23. These values correspond to the product of precipitation volume and the hydrogen ion concentration and are normalized to one square meter(m^2) of deposition surface:

$$H_F^+ \text{ Deposition} = \text{Volume (L)} \times H_F \text{ (mg/L)} / \text{Collection Area of the Sampler} (m^2)$$

$$H_T^+ \text{ Deposition} = \text{Volume (L)} \times H_T \text{ (mg/L)} / \text{Collection Area of the Sampler} (m^2)$$

The accuracy of the deposition data will depend on the accuracy of the corresponding chemical analyses and also the collection efficiency of the samplers. Work is currently in progress to determine the latter, as a function of collector type and meteorological parameters. Pending the results of this work, the deposition rates in this report are estimated to be accurate to roughly 25%.

The data are represented graphically in Appendix 1 as Figures A1-1 to A1-20.

4.1.2. Cumulative Samples -

Cumulative sample data are presented in a similar format in Tables 24 to 40 . Before and after the shutdown period, samples were collected approximately once a month. During the period of interest, an attempt was made to collect semi-monthly samples corresponding to different source configurations. All parameters in the Tables carry their usual meaning. All pH values are MOE/LSB (Toronto) measurements.

It should be pointed out that, because sample collection efficiency is not 100%, the calculated H^+ depositions are probably somewhat lower than the true values. The calculated values will be refined when rain gauge data become available.

The results are presented graphically as Figures A2-1 to A2-15 in Appendix 2.

4.2 Data Interpretation -

Acidic precipitation is a complex phenomenon resulting from the combined effects of parcel history and composition, local emission conditions, and local meteorological conditions. The nature of the acidic components depends on the first two parameters whereas the precipitation volume is mainly a function of local meteorological conditions. Frequently, the precipitation pH value is referred to when the acidity of precipitation is discussed. This is misleading because it involves an implicit assumption that pH of precipitation is independent of precipitation volume, which in many cases is untrue due to the relative importance of different precipitation scavenging mechanisms. What is more important

in terms of the direct impact of acidic precipitation to the environment is the hydrogen ion deposition. Therefore, in this report, both the precipitation free hydrogen ion concentration (as measured by the pH), and the hydrogen ion deposition, will be considered.

Table 41 summarizes smelter operations at Sudbury during the period January - September, 1978. For the purposes of this report, "shutdown" will be taken to mean the period when both INCO and Falconbridge were not in operation (i.e., July 17 - August 21).

4.2.1. Event Data -

During the entire study period, each event with samples collected at more than five stations was analysed in detail with respect to the resultant rainfall field, the pH field, the free hydrogen ion deposition field, and the origin of the regional air mass arriving in Sudbury during the precipitation episode. Figures A3-1A to A3-11C in Appendix 3 illustrate the rainfall, pH, and H^+ deposition fields for each event.

All contours in Figures A3-1A to A3-11C were drawn manually using a linear interpolation scheme. The arrows on each map represent the direction of air flow into the region. This direction was obtained using an air parcel trajectory calculation on the 850 millibar pressure level of the atmosphere, modified by a counterclockwise rotation of 15^{o} to better represent the average flow in the mixing layer of the atmosphere*. For each event, a trajectory for air entering the region was determined for both the beginning and the end of the sampling period (roughly

*This method is similar to that of Johnson et al. ("The European Regional Model of Air Pollution (EUROMAP) and its Applications to Transfrontier Air Pollution", Proc. of the 7th International NATO/CCMS Meeting on Air Pollution Modelling, September, 1976).

0800 EST). The angle of deviation between the beginning and end trajectories is given on each map inside the arrows. This deviation is an indicator of the variability of the flow field during the sampling period.

It is important to note that the arrows indicated on each map represent only the general inflow to the region within the mixed layer. It is possible that the trajectory of emissions from local sources could be different from that implied by the mixed layer trajectory. Such behavior is due to the vertical variation of the wind field and the differing heights of local source emissions.

Two methods of analysis were employed to evaluate the effect of the smelter shutdown period on the acidity of precipitation in the Sudbury area. The first method was strictly qualitative and involved a comparison of the rainfall, pH, and H^+ deposition fields for individual events during both the source shutdown and source operating periods. The second method was quantitative or statistical. It consisted of a station-by-station comparison of pH and H^+ deposition data for the operating and shutdown periods. Statistical tests of significance were carried out to determine if real differences were observable. The results of both studies are discussed in the following section.

4.2.1.1. Qualitative Analysis -

Since the deposition of free hydrogen ions is a more important factor than precipitation pH in impact on the environment, it is necessary to examine both parameters which affect that deposition field,

namely the rainfall amount and the H^+ concentration (or pH) of the rainfall. Rainfall fields are discussed initially.

The rainfall field for each event is illustrated using contour lines on Figures A3-1A to A3-11A in Appendix 3. The data represent the depth of rainfall falling on a collection area of 1411 cm^2 (area of the collector mouth). Examination of the tabulated data shows that for a given event, rainfall amounts often varied by an order of magnitude on a regional scale. This spatial variability is highly dependent on local meteorology and storm dynamics and severely affects the H^+ deposition pattern (see below). The location of the maximum rainfall varied throughout the entire study period and no trend was visible. One characteristic of the rainfall fields observed during the study period was the tendency for rainfall amount to increase towards the east and southeast. It may be pointed out here that the distribution of rainfall in the study area, and in Ontario in general, is a factor deserving close attention. Since hydrogen ion deposition is a function of the rainfall amount, the potential for acid loading to a given area increases with the rainfall received, all else being constant.

Consider now the pH field observed in the event sampling. The pH distribution for each rainfall event during the shutdown period shows that the spatial and temporal variability of the rainfall free acidity is extremely large. The tabulated data and the pH contour maps illustrate that the range of pH's in the Sudbury area can change significantly from event to event, and, most importantly, the variability of pH within a radius of 80 Km from Sudbury is large.

An examination of the pH data from the operating period showed no detectable effect of smelter emissions, largely because of the large "background" spatial and temporal variability of the pH indicated above in the discussion of the shutdown period data. Regional transport and storm dynamics can combine to cause such a large variation in the rainfall acidity distribution that it becomes extremely difficult to definitively identify contributions from local sources by an analysis such as the present one.

Consider finally the acid deposition data. The large variability in the rainfall amount and pH fields discussed above is reflected in the deposition field. Data for the shutdown period are shown with contour lines in Figures A3-1C to A3-11C. Examination of these figures shows that the H^+ deposition pattern was definitely different from the rainfall and pH patterns. In addition, the spatial variation of H^+ deposition throughout the shutdown period is generally higher than either the pH or rainfall variability. No trend in the location of the deposition maximum was visible but a very strong gradient throughout the Sudbury area was observed.

In summary, inspection of operating and shutdown data leads to the qualitative assessment that there was no measurable difference in pH or hydrogen ion deposition. Meteorological factors and long-range transport affect the local deposition so greatly that influences due to smelter operation cannot be detected from the above analysis of the data. However, in general terms, the measured values of pH and acid deposition are significant, and do indicate that atmospheric loading to the area due to long-range transport is large.

4.2.1.2 Quantitative Analysis -

The conclusions arrived at in the qualitative analysis discussed above, regarding the impact of smelter emissions as indicated by precipitation pH and acid loading measurements, were borne out by a statistical analysis of the data. This was carried out as follows:

The event data from each station were separated into two groups - one for the shutdown period (July 17-August 21), the other for the rest of the sampling period. Only data which met the criterion of a 24 ± 6 hour collection period were included. An examination of all the free hydrogen ion concentration and deposition data for each period showed that the values are best represented by a log-normal distribution (and that the pH values are normally distributed). The geometric means and standard deviations, as well as the 95% confidence limits of the means, were computed. The t-test was used to obtain the latter values. Results are shown in Table 42, in which are also included the corresponding statistics of the pH measurements, obtained by assuming a normal distribution.

An examination of the values in Table 42 shows that there is no significant difference between precipitation pH, and free hydrogen ion concentration and deposition, during the plant shutdown and operating periods. Thus these data, gathered over a three-month period, suggest that the acidity of rainfall and the acid loading to the Sudbury region are so dominated by the long-range transport component, and by variations due to storm dynamics, that the effects of local emissions are lost in the "background noise" when data for the whole region are considered.

4.2.2 Cumulative Network Data -

Contour maps of the pH distribution for different smelter operating conditions, as obtained from the Sangamo sampler data are shown in Figures A4-1 through A4-5. Qualitative comparisons of the pH fields for each source period lead to the following observations:

(i) Very strong pH gradients are observable throughout the sampling region during both the shutdown and operational periods.

(ii) The minimum pH observed throughout the entire sampling period occurred during the shutdown period.

(iii) The spatial and temporal variability of cumulative pH was very high (as one would expect from the event data).

(iv) The pH's measured during the shutdown period are relatively low indicating that the contribution of non-local sources to rainfall acidity is significant.

(v) With the data currently available, the general variability of pH is too large to allow a separation, and assessment, of the contribution of Sudbury sources to the acidity of precipitation problems.

The H_F^+ deposition fields of the cumulative data show the large spatial variability expected from the pH and volume fields. There does appear to be a trend, however, in the H_F^+ deposition fields, namely, a gradient of increasing deposition exists from the Northwest to the Southeast. With more data, it may be possible to confirm this trend in the long term, and it is somewhat premature to state that areas to the southeast of Sudbury have a greater potential for acidic loading than areas to the northwest.

Figures A2-1 to A2-15 in Appendix 2 show the temporal variation of volume, pH, acidity, H_F^+ and H_T^+ deposition at each Sangamo sampling station. It can be observed that the pH's during the shutdown period were not greatly different from those obtained during the rest of the year. In fact, at several stations the pH's were lower during part of the shutdown period than during operating periods. Such behaviour is in general agreement with observations obtained using the event network data: ie., acidity of the precipitation samples in the Sudbury area seems to be dominated by local meteorological factors and long-range transport.

It is interesting to note that Figures A2-1 to A2-15 indicate that the summertime acid loadings are higher than wintertime loadings. This is more a reflection of the precipitation amount than other factors.

TABLE 1: Details of the Cumulative Precipitation Sampling Network

STATION	STARTING DATE	PRECIPITATION SAMPLER		RAIN GAUGE		STORAGE GAUGE
		SANGAMO	AEROCHEMETRIC	FISHER PORTER	TIPPING BUCKET	
1. Burwash	Dec/77	X		X	X	X
2. Lake Panache	Dec/77	X				X
3. Windy Lake	Dec/77	X		X		X
4. Hanmer	Dec/77	X				X
5. Killarney	Dec/77	X			X	X
6. Halfway Lake	Sept/78		X			X
7. Gowganda	Dec/77	X			X	X
8. Elliott Lake	Dec/77	X		X		X
9. North Bay	Dec/77	X				X
10. Parry Sound	Dec/77	X		X		X
11. St. Charles	Dec/77	X				X
12. Martin River	June/78	X		X		X
13. Florence Lake	Sept/78		X			X
14. Ramsey	June/78	X				X
15. Graveyard Lake	Sept/78		X	X		X
16. Chiniguchi Lk.	July/78		X	X		X
17. Massey	June/78	X				X
18. River Valley	July/78	X				X
19. Lively	Dec/78	X				X
20. Noelville	June/78	X				X
21. Bear Island	June/78	X				
22. Portage Lake	Nov/78	X				X

TABLE 2: Details of the Event Sampling Network

Station	Starting Date (First Samples)	Tipping Bucket Gauge	Fisher Porter Gauge
A. Ramsey	June 21/78		
B. Burwash	June 28/78		X
C. New Sudbury	June 26/78		
D. Long Lake	June 26/78		
E. Wanup	June 22/78		
F. Lively	July 12/78		
G. Azilda	Aug. 18/78		
H. Skead	July 22/78		
I. McCharles Lake	June 26/78		
J. Windy Lake	July 7/78		X
K. Lake Wanapatei	July 7/78		
L. Verner	July 8/78		
M. North Bay	Aug.16/78		
N. Killarney	July 8/78	X	
O. Charleton Stn.	July 15/78		
P. Markstay	July 8/78		
Q. Lake Panache	July 7/78		
R. Thessalon	July 18/78		
S. Laurentian U.	July 19/78	X	
T. Grundy Park	July 13/78		

Table 3: Details of precipitation sample chemical analysis:

Parameter	Analysis Method
pH	Radiometer (pH electrode)
Total Acidity	NaOH titration to pH 8.3 (results generally expressed as mg Ca CO_3/litre).
SO_4	Originally MTB method; presently Dionex ion-exchange chromatograph
NO_3	Originally Cd column and hydrazine methods; presently, ion-exchange chromatography
NH_4	Nitroprusside method
Cl, F, Br	Ion-exchange chromatography
Si	Molybdenum blue method
Ca, Mg, Na, K	Flame atomic absorption
Fe , Ni, Cu, Pb, Zn, Al, Cr, Cd	Flameless atomic absorption

TABLE 4:
Event Sampling Results for June - September, 1978 at Ramsey

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : RAMSEY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN21-JUN22/78	2000	1930	325	4.95	3.14	0.011	0.052	0.028	0.145
JUN22-JUN23/78	1930	1030	85						
JUN27-JUN28/78	1930	1500	85						
JUL 5-JUL 6/78	2000	2000	35	3.80		0.158		0.039	
JUL 6-JUL 7/78	2030	1930	782	3.71	10.80	0.195	0.218	1.002	1.218
JUL 7-JUL 8/78	1930	1100	782	4.14	5.72	0.072	0.114	0.402	0.835
JUL16-JUL15/78	1445	1345	150	3.53		0.255		0.314	
AUG 4-AUG 5/78	500	500	50						
AUG16-AUG17/78	900	900	920	4.80	1.22	0.018	0.025	0.103	0.150
AUG18-AUG19/78	900	900	4795	4.23	2.59	0.059	0.052	2.001	1.762
AUG22-AUG23/78	900	900	1055	4.47		0.034		0.254	
AUG23-AUG24/78	900	900	2010	4.45		0.035		0.747	
AUG28-AUG29/78	930	900	1920	4.80		0.018		0.216	
AUG29-AUG30/78	900	900	385	4.68		0.022		0.060	
SEP 1-SEP 2/78	800	800	130	4.55		0.026		0.026	
SEP 6-SEP 7/78	900	900	288	4.15		0.071		0.120	
SEP14-SEP15/78	900	1000	1030	4.35		0.045		0.228	

TABLE 5:
Event Sampling Results for June - September, 1978 at Burwash

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : BURWASH

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN27-JUN28/78	815	1515	65						
JUN28-JUN29/78	1515	810	325	5.35	4.21	0.004	0.004	0.009	0.194
JUL 7-JUL 8/78	2300	500	310						
JUL 8-JUL 9/78	802	800	703	4.05	9.70	0.008	0.194	0.494	1.078
JUL 9-JUL10/78	2530	800	310	4.15		0.068		0.152	
JUL10-JUL11/78	800	700	310	3.80	19.00	0.209	0.300	0.471	0.858
JUL13-JUL14/78	800	530	1240	3.81	13.30	0.155	0.245	1.381	2.162
JUL18-JUL18/78	1230	700	703	3.81	10.90	0.155	0.210	0.859	1.210
JUL19-JUL20/78	100	800	358	4.35		0.041		0.103	
JUL22-JUL23/78	800	800	1240	3.75	11.05	0.174	0.222	1.527	1.949
JUL26-JUL26/78	100	800	100	4.15		0.069		0.049	
JUL26-JUL27/78	1415	800	1415	4.10	5.61	0.079	0.112	0.796	1.125
JUL28-JUL29/78	800	800	495	4.27	4.15	0.054	0.083	0.198	0.291
JUL29-JUL30/78	800	800	895	4.05	5.15	0.089	0.103	0.439	0.508
JUL31-AUG1/780	800	800	85						
AUG02-AUG03/78	800	800	1720	3.94	10.49	0.115	0.210	1.388	2.557
AUG08-AUG09/78	800	800	495	4.53	5.25	0.012	0.105	0.041	0.368
AUG15-AUG16/78	700	700	925	3.95	10.74	0.112	0.215	0.735	1.408
AUG16-AUG17/78	700	700	35	3.95		0.112		0.020	
AUG17-AUG18/78	700	700	35	5.45(F)		0.004		0.001	

TABLE 5 (cont'd)
Event Sampling Results for June - September, 1978 at Burwash (cont'd)

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : BURWASH

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
AUG18-AUG18/78	700	700	525	4.72	1.89	0.018	0.030	0.125	0.248
AUG23-AUG24/78	700	700	900	3.91		0.123		0.750	
AUG27-AUG28/78	700	700	860	3.72	7.91	0.191	0.158	1.181	0.964
AUG28-AUG29/78	700	700	630	3.91	13.80	0.123	0.272	0.548	1.214
AUG29-AUG30/78	700	700	25	4.25(F)		0.056		0.010	
SEP 2-SEP 3/78	700	700	860	4.23		0.055		0.355	
SEP 3-SEP 5/78	700	700	220	4.70		0.020		0.021	
SEP 5-SEP 7/78	700	700	2050	4.13		0.074		1.497	
SEP 7-SEP 9/78	700	700	130	4.20		0.062		0.062	
SEP 9-SEP10/78	700	700	40	3.85		0.141		0.040	
SEP10-SEP11/78	700	700	855	4.09		0.083		0.524	
SEP11-SEP12/78	700	700	370	3.99		0.182		0.288	
SEP14-SEP15/78	700	700	3795	4.00		0.100		2.685	
SEP15-SEP16/78	700	700	50	4.30		0.042		0.018	
SEP16-SEP19/78	700	700	850	4.33		0.047		0.282	

TABLE 6:

Event Sampling Results for June - September, 1978 at New Sudbury

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : NEW SUDBURY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN26-JUN27/78	1015	1150	783	4.45	4.51	0.035	0.090	0.197	0.500
JUN27-JUN28/78	800	2100	150	4.30	4.41	0.050	0.088	0.053	0.094
JUL 7-JUL 8/78	800	800	435	5.40	6.37	0.004	0.127	0.013	0.383
JUL13-JUL14/78	745	750	430	4.10	7.54	0.078	0.151	0.247	0.468
JUL18-JUL19/78	1200	800	430	3.77	13.70	0.170	0.274	0.527	0.850
JUL22-JUL23/78	1820	1100	2100	3.88	6.64	0.132	0.133	1.862	1.976
AUG15-AUG16/78	800	745	510	3.96	10.80	0.110	0.220	0.386	0.784
AUG16-AUG17/78	800	1000	180	4.48(F)	4.75	0.033	0.095	0.042	0.121
AUG18-AUG21/78	800	800	1055	4.60	6.55	0.026	0.132	0.204	1.023
AUG23-AUG24/78	800	800	10035	3.90	7.03	0.105	0.141	7.471	10.032
AUG27-AUG28/78	800	800	1455	3.85	9.30	0.141	0.188	1.458	1.934
AUG28-AUG29/78	800	745	1290	4.35	1.60	0.045	0.032	0.408	0.283
AUG29-AUG30/78	800	815	850	4.55	1.36	0.020	0.027	0.172	0.166
SEP10-SEP11/78	845	750	440	3.72		0.191		0.594	
SEP14-SEP15/78	750	755	1940	3.90		0.105		1.439	
SEP21-SEP22/78	750	755	55	4.30		0.050		0.030	

TABLE 7:
Event Sampling Results for June - September, 1978 at Long Lake

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LONG LAKE

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN26-JUN27,78	745	745	1190	5.10	4.41	0.008	0.088	0.057	0.744
JUL 7-JUL10,78	815	822	2035	4.09	8.43	0.081	0.189	1.172	2.431
JUL12-JUL13,78	700	700	140	4.51		0.031		0.031	
JUL26-JUL27,78	700	700	910	4.13	6.50	0.074	0.130	0.470	0.830
AUG 2-AUG 3,78	730	730	1720	3.72	7.16	0.191	0.143	2.342	1.744
AUG16-AUG17,78	800	730	105	4.10(F)		0.079		0.059	
AUG18-AUG21,78	730	715	2480	4.51	2.20	0.031	0.044	0.538	0.787
AUG23-AUG24,78	800	800	3010	4.80	5.92	0.015	0.138	0.338	2.952
AUG28-AUG29,78	630	1200	150	4.30		0.050		0.053	
AUG29-AUG30,78	800	800	375	5.10		0.008		0.021	

TABLE 8:
Event Sampling Results for June - September, 1978 at Wanup

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : WANUP

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN22-JUN22/78	1755	2130	65						
JUN26-JUN27/78	800	700	438	4.62	4.90	0.024	0.090	0.074	0.304
JUN28-JUN29/78	1640	900	100	5.46		0.000		0.002	
JUL 7-JUL 8/78	2300	1600	160	3.82		0.151		0.172	
JUL13-JUL13/78	800	1600	438	3.82	12.60	0.151	0.252	0.470	0.782
JUL18-JUL19/78	1340	800	160	4.51		0.031		0.035	
JUL22-JUL23/78	1800	900	1200	3.95	5.27	0.112	0.105	0.954	0.896
JUL26-JUL27/78	1700	800	1245	4.17	8.17	0.060	0.123	0.596	1.089
JUL27-JUL28/78	1000	800	1330	4.40	3.48	0.040	0.070	0.375	0.656
JUL29-JUL30/78	800	800	1270	4.04	4.71	0.091	0.094	0.821	0.848
AUG 2-AUG 3/78	800	800	2125	3.65	11.00	0.224	0.230	3.371	3.578
AUG13-AUG14/78	800	800	1040	4.24	8.42	0.050	0.160	0.424	1.241
AUG15-AUG16/78	800	800	290	3.93(F)	10.13	0.117	0.203	0.242	0.416
AUG18-AUG17/78	800	900	140	4.24(F)	8.71	0.058	0.134	0.057	0.133
AUG18-AUG19/78	800	800	1325	4.15	8.50	0.071	0.170	0.665	1.596
AUG23-AUG24/78	800	800	9605	4.15	4.96	0.071	0.090	4.317	5.049
AUG27-AUG28/78	800	800	2933	4.10	5.65	0.079	0.111	1.651	2.307
AUG28-AUG29/78	800	800	1153	4.35	4.32	0.045	0.060	0.385	0.700
AUG29-AUG30/78	800	800	550	4.09		0.081		0.317	
SEP 2-SEP 3/78	800	800	5284	4.12		0.078		3.335	

TABLE 8 (cont'd):
Event Sampling Results for June - September, 1978 at Wanup (cont'd)

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : WANUP

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
SEP 6-SEP 7,78	000	000	420	4.05		0.089		0.265	
SEP 7-SEP 8,78	000	000	50	4.75		0.018		0.006	
SEP 9-SEP10,78	000	000	500	4.20		0.052		0.210	
SEP10-SEP11,78	000	000	1040	4.33		0.047		0.345	
SEP11-SEP12,78	000	000	415	4.12		0.076		0.223	
SEP14-SEP15,78	000	000	2210	3.96		0.110		1.717	
SEP15-SEP18,78	000	000	195	4.78		0.017		0.023	
SEP18-SEP19,78	000	000	105	4.25		0.056		0.042	
SEP20-SEP21,78	000	000	4185	4.12		0.076		2.255	

TABLE 9:
Event Sampling Results for June - September, 1978 at Lively

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LIVELY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL12-JUL13/78	1000	1600	875	4.02	8.12	0.095	0.152	0.592	1.007
JUL17-JUL18/78	1700	900	260	3.84		0.145		0.266	
JUL22-JUL23/78	2000	1200	885	3.87	7.39	0.135	0.148	0.848	0.527
JUL26-JUL27/78	1700	800	430	4.17	4.82	0.068	0.096	0.206	0.294
JUL28-JUL30/78	1900	1830	425	4.03	4.71	0.093	0.094	0.281	0.284
AUG 2-AUG 3/78	1400	900	440	3.60	11.88	0.261	0.230	0.703	0.741
AUG18-AUG19/78	2100	1700	520	3.95	1.44	0.112	0.029	0.413	0.108
AUG23-AUG24/78	900	1300	6460	3.81	4.47	0.155	0.090	7.079	4.098
AUG28-AUG29/78	900	1000	430	4.64		0.023		0.070	
SEP 2-SEP 3/78	1600	900	430	4.12		0.076		0.231	
SEP 6-SEP 7/78	900	900	430	4.31		0.032		0.100	

TABLE 10:
Event Sampling Results for June - September, 1976 at Azilda

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : AZILDA

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
AUG18-AUG19/76	1900	900	648	4.15	8.88	0.071	0.137	0.325	0.630
AUG19-AUG20/76	900	900	375	4.35	1.57	0.045	0.031	0.119	0.083
AUG22-AUG24/76	800	800	12320	4.02	7.22	0.095	0.144	2.298	12.578
AUG29-AUG30/76	900	1020	325	4.02		0.012		0.020	
SEP 6-SEP 7/76	1100	720	550	4.05		0.014		0.055	

TABLE 11:
Event Sampling Results for June - September, 1978 at Skead

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : SKEAD

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL22-JUL23/78	1700	1100	420	4.07	4.40	0.080	0.090	0.262	0.287
JUL25-JUL27/78	1500	900	410	4.40	3.81	0.035	0.070	0.101	0.221
JUL28-JUL30/78	815	630	1250	4.29	4.20	0.051	0.085	0.450	0.781
AUG 2-AUG 3/78	1100	800	3700	4.00	9.50	0.100	0.191	2.000	3.135
AUG15-AUG16/78	900	1000	2205	4.13	6.47	0.074	0.120	1.190	2.077
AUG16-AUG17/78	1000	920	300	4.42	5.73	0.038	0.115	0.081	0.244
AUG23-AUG24/78	900	1000	8020	4.35		0.045		1.005	
AUG28-AUG29/78	900	900	2250	4.00		0.003		1.332	
AUG29-AUG30/78	900	900	1355	5.03		0.009		0.090	
SEP 2-SEP 3/7	020900	900	4445	4.17		0.000		2.177	
SEP10-SEP11/78	900	900	475	3.00		0.130		0.485	
SEP11-SEP13/78	900	900	125	4.10		0.060		0.001	
SEP14-SEP15/78	900	900	2430	3.00		0.132		2.270	

TABLE 12:
Event Sampling Results for June - September, 1978 at McCharles Lake

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : MCCHARLES LAKE

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN 26 - JUN 27, 1978	1100	1330	515	4.53	4.40	0.030	0.090	0.100	0.327
JUL13-JUL14,78	815	900	105	3.48(F)		0.331		0.434	
JUL14-JUL15,78	1500	1400	907	4.05	5.84	0.009	0.119	0.540	0.730
JUL18-JUL20,78	1930	1930	229	4.19		0.005		0.105	
JUL22-JUL23,78	1245	1230	203	3.82		0.151		3.041	
JUL26-JUL27,78	845	845	595	4.20	0.73	0.003	0.135	0.445	0.549
JUL27-JUL28,78	845	900	845	4.42	3.32	0.030	0.070	0.255	0.525
JUL29-JUL30,78	900	845	405	4.22(F)		0.060		0.207	
AUG 2-AUG 3,78	815	900	2490	3.85	11.55	0.224	0.231	3.950	4.075
AUG15-AUG18,78	2200	2200	1755	4.32	0.22	0.040	0.124	0.595	1.547
AUG23-AUG24,78	900	900	4355	3.85	7.55	0.141	0.152	4.300	4.895
AUG27-AUG28,78	900	900	2215	4.25	7.17	0.050	0.143	0.903	2.251
AUG29-AUG30,78	900	900	1825	4.45		0.032		0.373	
SEP 4-SEP 5,78	2000	815	1115	5.30		0.005		0.040	
SEP 6-SEP 7,78	900	730	200	3.90		0.132		0.187	
SEP 8-SEP 9,78	830	730	275	4.05		0.009		0.174	
SEP 9-SEP10,78	815	745	925	4.11		0.070		0.454	
SEP10-SEP11,78	805	735	360	4.51		0.025		0.091	
SEP14-SEP15,78	830	900	2490	3.90		0.120		2.221	

TABLE 13:
Event Sampling Results for June -' September, 1978 at Windy Lake

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : WINDY LAKE

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL07-JUL09/78	1300	900	1245	3.77	11.80	0.170	0.232	1.490	2.047
JUL08-JUL09/78	900	1600	430	4.48	5.34	0.032	0.107	0.100	0.231
JUL09-JUL10/78	900	1100	85						
JUL12-JUL14/78	900	1800	783	4.05	9.05	0.089	0.101	0.454	1.004
JUL15-JUL18/78	1100	1600	85						
JUL18-JUL19/78	1800	900	30						
JUL21-JUL22/78	900	900	925	3.80	9.08	0.150	0.102	1.038	1.130
JUL22-JUL23/78	1300	1000	1350	4.21	4.02	0.062	0.090	0.590	0.922
JUL26-JUL27/78	1115	1115	3005	4.63	3.25	0.023	0.065	0.512	1.421
JUL29-JUL30/78	900	1130	1520	3.69	11.59	0.125	0.232	1.300	2.407
AUG08-AUG09/78	2000	800	175	4.65(F)		0.022		0.028	
AUG12-AUG14/78	745	1100	95						
AUG23-AUG24/78	800	800	5590	4.14	8.32	0.072	0.105	2.870	7.303
AUG27-AUG28/78	800	800	2150	4.55	8.57	0.020	0.151	0.429	2.918
AUG28-AUG29/78	800	1530	3070	4.11	8.34	0.070	0.127	3.120	3.477

EVENT SAMPLING ANALYSIS RESULTS

TABLE 14:

Event Sampling Results for June - September, 1978 at Lake Wanapatei

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LAKE WANAPATEI

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL27-JUL28/78	1300	1000	75	3.30		0.501		0.260	
JUL28-JUL28/78	730	1130	783	4.08	4.17	0.083	0.083	0.461	0.463
JUL28-JUL10/78	1130	1330	100	4.28		0.052		0.039	
JUL12-JUL13/78	630	840	438	3.75	11.20	0.178	0.224	0.552	0.695
JUL12-JUL15/78	1130	915	438	3.74	8.44	0.182	0.189	0.555	0.524
JUL15-JUL19/78	915	1130	1243	3.67	8.88	0.214	0.288	1.883	1.788
JUL19-JUL20/78	1130	800	50	3.54		0.288		0.102	
JUL20-JUL23/78	800	800	1388	4.45	3.14	0.032	0.083	0.312	0.605
JUL23-JUL27/78	800	800	1815	4.35	4.48	0.044	0.090	0.561	1.152
AUG02-AUG03/78	800	800	850	4.78	8.54	0.017	0.171	0.101	1.041
AUG08-AUG09/78	800	815	318	4.85(F)	1.18	0.014	0.022	0.031	0.048
AUG13-AUG14/78	2300	830	305	4.20(F)		0.063		0.136	
AUG15-AUG18/78	900	900	1352	4.27	2.84	0.054	0.069	0.514	0.563
AUG18-AUG17/78	500	900	883	4.47	2.29	0.034	0.048	0.231	0.313

TABLE 15:

EVENT SAMPLING ANALYSIS RESULTS

Event Sampling Results for June - September, 1978 at Verner

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : VERNER

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL06-JUL09/78	815	700	430	3.82		0.151		0.470	
JUL13-JUL14/78	800	1530	2140	3.97	9.0%	0.107	0.181	1.625	2.745
JUL18-JUL19/78	1300	800	80%	3.83	12.32	0.334	0.244	1.337	1.384
JUL22-JUL23/78	1000	1000	910	3.78	12.44	0.174	0.240	1.121	1.604
JUL26-JUL27/78	830	830	442%	4.1%	3.81	0.007	0.078	0.222	0.389
JUL27-JUL28/78	830	830	440	4.36	3.41	0.065	0.060	0.171	0.213
JUL28-JUL29/78	830	830	48%	4.87	2.7%	0.021	0.055	0.076	0.183
JUL29-JUL30/78	830	800	1130	4.0%	3.00	0.099	0.070	0.707	0.628
AUG 8-AUG 9/78	830	830	430	5.1%	1.60	0.001	0.034	0.002	0.103
AUG15-AUG16/78	830	830	430	4.80	3.54	0.02%	0.073	0.077	0.222
AUG18-AUG19/78	830	830	342%	4.29	3.70	0.001	0.070	1.34%	1.03%
AUG23-AUG24/78	830	830	88%%	4.2%	1.31	0.050	0.024	3.253	0.870
AUG29-AUG30/78	830	830	48%	4.31		0.040		0.172	
SEP 2-SEP 3/78	830	830	178%	4.2%		0.056		0.070	
SEP 6-SEP 7/78	830	830	28%	3.84		0.14%		0.271	
SEP10-SEP11/78	815	815	1870	4.30		0.044		0.000	

TABLE 16:

Event Sampling Results for June - September, 1978 at North Bay

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : NORTH BAY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
AUG15-AUG17/78	000	2000	3540	4.10	3.05	0.075	0.077	1.353	1.932
AUG23-AUG24/78	000	000	3505	4.20	2.20	0.062	0.048	1.359	1.191

TABLE 17:

Event Sampling Results for June - September, 1978 at Killarney

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : KILLARNEY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL11-JUL14,78	1200	730	430	3.90	12.30	0.125	0.245	0.381	0.764
JUL18-JUL18,78	1100	2000	430	3.68	11.80	0.209	0.236	0.648	0.732
JUL18-JUL19,78	2000	1300	430	3.83	8.44	0.148	0.169	0.459	0.524
JUL19-JUL20,78	1400	745	483	4.11	5.24	0.078	0.105	0.268	0.359
JUL20-JUL21,78	800	800	190	4.32		0.048		0.064	
JUL21-JUL22,78	1030	1000	5E	5.55		0.003		0.001	
JUL22-JUL23,78	1040	1020	49E	3.72	11.65	0.188	0.233	0.552	0.818
JUL26-JUL27,78	1600	900	140E	4.25	5.17	0.056	0.103	0.592	1.000
JUL28-JUL29,78	800	800	1570	4.38	6.34	0.042	0.127	0.464	1.411
JUL25-JUL30,78	800	1030	180	4.85	8.78	0.085	0.178	0.114	0.224
JUL31-AUG 1,78	800	830	30						
AUG 2-AUG 3,78	900	800	1350	3.82	13.85	0.151	0.261	1.481	2.571
AUG 8-AUG 9,78	830	700	830	4.49	5.73	0.032	0.115	0.198	0.674
AUG15-AUG16,78	830	800	855	4.14	8.28	0.072	0.168	0.336	0.778
AUG16-AUG17,78	800	830	55						
AUG18-AUG19,78	830	800	430	4.85	9.20	0.089	0.184	0.272	0.561
AUG23-AUG24,78	830	800	850	4.82	5.43	0.095	0.189	0.502	0.862

EVENT SAMPLING ANALYSIS RESULTS

TABLE 18:
Event Sampling Results for June - September, 1978 at Charleton Stn.

SES - TDR - ARB
MINISTRY OF ENVIRONMENT

STATION NAME : CHARLETON STN.

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL15-JUL18/78	1400	1200	436	4.87	3.48	0.013	0.070	0.042	0.216
AUG16-AUG17/78	1100	1100	1490	5.35	1.44	0.004	0.025	0.046	0.304

TABLE 19:
Event Sampling Results for June - September, 1978 at Markstay

EVENT SAMPLING ANALYSIS RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : MARKSTRY

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL 8-JUL 9/78	500	2200	100	3.97		0.107		0.070	
JUL13-JUL14/78	900	2000	430	3.83		0.117		0.365	
JUL27-JUL28/78	700	700	2015	5.12	2.81	0.000	0.050	0.141	1.070
AUG 2-AUG 3/78	900	800	2100	3.86	11.35	0.130	0.237	2.103	3.450
AUG16-AUG17/78	900	900	750	3.80		0.126		0.670	
AUG29-AUG29/78	800	900	1350	4.50	1.22	0.020	0.024	0.240	0.223
SEP 2-SEP 3/78	900	800	1300	4.02		0.050		0.072	
SEP14-SEP15/78	800	800	1100	4.03		0.093		0.700	

TABLE 20:

Event Sampling Results for June - September, 1978 at Lake Panache

EVENT SAMPLING ANALYSIS RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LAKE PANACHE

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN 8-JUN16,78	700	1245	1640	5.33	18.18	0.005	0.202	0.064	2.347
JUL12-JUL13,78	915	700	100	4.80		0.018		0.011	
JUL13-JUL14,78	700	945	703	3.81	11.50	0.155	0.230	0.853	1.278
JUL18-JUL19,78	700	845	430	3.66	14.30	0.219	0.206	0.679	0.686
JUL19-JUL20,78	700	700	703	4.20	3.71	0.063	0.074	0.250	0.412
JUL21-JUL24,78	845	1005	2131	4.34	4.58	0.048	0.092	0.550	1.388
JUL26-JUL27,78	930	710	930	4.18	8.28	0.089	0.126	0.458	0.829
JUL28-AUG 1,78	945	715	1150	4.06	5.73	0.087	0.135	0.710	1.087
AUG 2-AUG 3,78	945	730	1765	3.47	13.43	0.335	0.269	4.230	3.359
AUG16-AUG17,78	900	830	720	4.80	4.76	0.025	0.095	0.120	0.406
AUG18-AUG19,78	930	930	2005	4.05	7.05	0.008	0.150	1.771	3.136
AUG23-AUG24,78	930	725	4835	3.84	8.28	0.115	0.165	3.203	4.723
AUG25-AUG26,78	930	930	1350	3.95	8.74	0.141	0.175	1.351	1.872
AUG28-AUG29,78	730	730	575	4.82	3.78	0.095	0.075	0.305	0.388
SEP 1-SEP 3,78	930	945	845	4.13		0.074		0.335	
SEP 3-SEP 5,78	945	800	135	4.74		0.010		0.017	
SEP 5-SEP 7,78	930	900	1505	4.78		0.020		0.213	
SEP 8-SEP10,78	900	1020	900	4.23		0.059		0.413	
SEP10-SEP11,78	1020	1500	175	3.50		0.130		0.155	
SEP11-SEP12,78	1500	800	335	4.43		0.030		0.200	

TABLE 20 (cont'd):

Event Sampling Results for June - September, 1978 at Lake Panache

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LAKE PANACHE

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
SEP14-SEP15/78	800	1800	2950	3.82		0.151		3.164	
SEP15-SEP17/78	1800	830	150	3.90		0.105		0.111	
SEP19-SEP20/78	830	930	1500	3.90		0.110		1.220	
SEP20-SEP21/78	930	830	1285	4.11		0.078		0.712	

TABLE 21:
Event Sampling Results for June - September, 1978 at Thessalon

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : THESSALON

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL18-JUL18,78	630	1430	830	3.85	11.83	0.141	0.237	0.831	1.392
JUL18-JUL19,78	1430	1200	320	3.82	5.66	0.151	0.117	0.343	0.268
JUL19-JUL20,78	1200	1200	2955	4.46	6.34	0.035	0.127	0.726	2.855
JUL22-JUL23,78	1200	1200	1660	4.33	6.22	0.047	0.124	0.550	1.463
JUL28-JUL29,78	1200	1200	645	4.19	5.98	0.065	0.120	0.295	0.547
JUL31-AUG 1,78	1200	1200	40	4.65(F)		0.022		0.006	
AUG 1-AUG 2,78	1200	1200	1355	4.28	8.83	0.055	0.137	0.520	1.312

TABLE 22:
Event Sampling Results for June - September, 1978 at Laurentian U.

EVENT SAMPLING ANALYSIS RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : LAURENTIAN U.

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL21-JUL24/78	650	700	2195	3.57	8.81	0.269	0.176	4.186	2.741
JUL26-JUL27/78	800	810	900	4.00	4.84	0.100	0.097	0.838	0.817
JUL28-JUL29/78	745	700	1235	4.05	4.55	0.089	0.099	0.780	0.866
AUG 2-AUG 3/78	800	830	2785	3.51	13.65	0.308	0.273	6.120	5.407
AUG11-AUG14/78	800	800	2000	4.55	7.08	0.020	0.142	0.359	2.007
AUG15-AUG16/78	800	730	270	3.92	13.68	0.120	0.273	0.230	0.523
AUG16-AUG17/78	800	930	225	5.60	3.41	0.002	0.060	0.803	0.109
AUG18-AUG21/78	745	730	1525	4.83	3.86	0.015	0.073	0.160	0.791
AUG23-AUG24/78	800	840	9335	3.95	7.17	0.112	0.143	7.422	5.486
AUG25-AUG28/78	830	820	1570	3.95	5.61	0.112	0.192	1.248	2.138
AUG29-AUG30/78	830	820	220	4.08(F)		0.083		0.130	
SEP 1-SEP 2/78	800	1030	1390	4.03		0.093		0.919	
SEP 5-SEP 7/78	800	750	845	4.07		0.085		0.389	
SEP 8-SEP10/78	800	1110	925	4.14		0.072		0.475	
SEP10-SEP11/78	1110	745	700	4.02		0.095		0.474	
SEP11-SEP12/78	745	855	350	3.93		0.117		0.291	
SEP14-SEP15/78	800	800	1915	4.19		0.065		0.875	
SEP15-SEP16/78	800	1045	315	4.25		0.056		0.126	
SEP18-SEP19/78	830	1000	110	4.21		0.062		0.048	

EVENT SAMPLING ANALYSIS RESULTS

TABLE 23:
Event Sampling Results for June - September, 1978 at Grundy Park

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : GRUNDY PARK

PERIOD START/END	TIME (HR.) START	TIME (HR.) END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL13-JUL13/78	800	1800	1680	3.87	11.80	0.214	0.236	2.560	2.826
JUL18-JUL19/78	045	545	4325	3.79	8.83	0.152	0.177	4.578	5.412
JUL20-JUL21/78	1300	830	205	4.25		0.056		0.082	
JUL21-JUL22/78	900	1630	490	4.75	4.84	0.018	0.097	0.052	0.236
JUL22-JUL23/78	1700	1100	2550	3.65	7.82	0.224	0.156	4.600	3.271
JUL28-JUL29/78	830	730	1025	4.14	4.40	0.072	0.088	0.528	0.839
JUL29-JUL30/78	730	745	630	3.83	7.15	0.148	0.143	0.680	0.838
AUG 2-AUG 3/78	730	745	2705	3.59	8.38	0.257	0.187	5.073	3.684
AUG 8-AUG 9/78	830	800	925	4.44	5.84	0.036	0.113	0.238	
AUG17-AUG18/78	830	730	955	3.89		0.125		0.872	
AUG18-AUG19/78	730	830	1845	3.91		0.123		1.800	
AUG19-AUG20/78	830	900	495	4.23		0.058		0.207	
AUG23-AUG24/78	830	900	3505	3.87		0.135		3.360	
AUG29-AUG30/78	830	900	2245	3.85		0.125		2.048	
SEP 2-SEP 3/78	830	900	545	3.87		0.135		0.521	

TABLE 24:
Monthly (Sangamo) Sampling Results for 1978 at Burwash

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : BURWASH

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN8-JAN31/78	375	3.83		0.204		2.528	
JAN31-MAR1/78	100	4.41		0.039		0.128	
MAR1-MAR31/78	400	4.00	0.57	0.100	0.171	1.584	2.714
MAR31-MAY3/78	1010	3.81	7.32	0.155	0.158	5.161	5.278
MAY3-JUN2/78	1100	3.54	28.50	0.229	0.538	8.787	20.500
JUN2-JUN30/78	25	3.81		0.245		0.202	
Aug18-Aug28/78	2725	3.90	7.30	0.126	0.146	11.317	13.125
Aug28-Sept18/78	2250	4.07	4.35	0.085	0.087	6.309	6.458

TABLE 25:
Monthly (Sangamo) Sampling Results for 1978 at Panache

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : PANACHE

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN8-JAN31/78	1090	4.81	4.82	0.098	0.088	3.514	2.520
JAN31-MAR1/78	50						
MAR1-MAR31/78	140	3.54	17.80	0.288	0.358	1.332	1.844
MAR31-APR24/78	100						
APR24-MAY30/78	1455	4.12	5.62	0.076	0.112	3.641	5.385
MAY30-JUN30/78	50	4.85		0.013		0.021	
JUN30-JUL17/78	300	3.84	8.50	0.115	0.172	0.750	1.132
JUL17-JUL29/78	1450	3.83	4.95	0.234	0.099	11.523	4.888
JUL29-AUG18/78	885	3.59	10.00	0.102	0.200	2.920	5.787
AUG18-AUG28/78	1120	3.90	9.12	0.126	0.182	4.652	6.739
AUG28-SEP20/78	1900	3.95	5.50	0.112	0.110	7.020	6.895

TABLE 26:
Monthly (Sangamo) Sampling Results for 1978 at Windy Lake

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : WINDY LAKE

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN8-JAN31/78	785	3.96	4.32	0.105	0.088	2.842	2.181
JAN31-FEB28/78	375	4.00	0.44	0.002	0.120	1.028	1.582
FEB28-MAR30/78	578	4.23	2.35	0.059	0.115	1.187	2.230
MAR30-APR24/78	1875	3.82	0.25	0.151	0.185	5.288	5.053
APR24-JUN1/78	125	4.05	11.05	0.100	0.220	0.412	0.887
JUN1-JULE/78	748	3.72	11.35	0.191	0.220	4.852	5.517
JULE-JUL18/78	785	3.87	18.85	0.135	0.212	3.492	5.488
JUL18-AUG1/78	1278	3.82	4.51	0.151	0.088	0.241	3.778
AUG01-AUG18/78	748	4.01	0.23	0.098	0.181	3.388	4.488
AUG17-AUG28/78	2925	4.15	4.13	0.071	0.083	6.831	7.971
AUG28-SEP19/78	2850	4.13	4.00	0.074	0.080	6.958	7.522

TABLE 27:
Monthly (Sangamo) Sampling Results
for 1978 at Hanmer

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDR - ARS

MINISTRY OF ENVIRONMENT

STATION NAME : HANMER

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN8-JAN28/78							
JAN28-MAR1/78	188	5.88		8.818		8.832	
MAR1-MAR21/78							
MAR21-MAY4/78	248	4.88	7.78	8.188	8.154	8.782	1.218
MAY4-JUN2/78	1248	3.92	7.88	8.128	8.158	4.838	8.528
JUN2-JUN28/78		3.85 (F)					
JUN28-JUL14/78							
JUL14-JUL31/78	2838	4.84	3.41	8.881	8.888	7.812	8.882
JUL31-AUG17/78							
AUG17-AUG28/78	2200	4.10	5.96	0.079	0.119	5.765	8.651
AUG28-SEP19/78	1680	3.96	5.50	0.110	0.110	6.097	6.097

TABLE 28:
Monthly (Sangamo) Sampling Results
for 1978 at Killarney

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

PAGE : 1

STATION NAME : KILLARNEY

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN12-JAN31/78	17E	5.1E		0.001		0.004	
JAN31-MAR1/78	12E	2.9E		0.112		0.482	
MAR1-MAR21/78	32E	2.8E	11.1E	0.11E	0.222	2.281	4.577
MAR21-MAY2/78	41E	2.67	15.61	0.25E	0.21E	2.09E	4.247
MAY2-MAY31/78	68E	2.6E	17.8E	0.26E	0.25E	7.48E	8.34E
MAY31-JUL14/78	221E	2.8E	5.0E	0.12E	0.15E	0.78E	14.41E
JUL14-JUL28/78	.88E	5.23	1.7E	0.001	0.03E	0.021	1.28E
JUL28-AUG17/78	128E	4.07	0.51	0.00E	2.17E	2.80E	0.142
AUG17-AUG28/78	1560	3.91	8.15	0.123	0.163	6.332	8.389
AUG28-SEP20/78	1810	3.84	6.98	0.145	0.140	8.658	8.336

TABLE 29:
Monthly (Sangamo) Sampling Results
for 1978 at St. Charles

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : ST. CHARLES

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JANE-FEB2/78	538	4.81	4.51	0.000	0.000	1.700	1.577
FEB2-FEB28/78	100	3.02		0.248		0.751	
FEB28-MAR31/78	205	3.75	14.30	0.178	0.200	1.203	1.324
MAR31-MAY2/78	545	4.13	4.84	0.074	0.087	1.232	1.748
MAY2-JUN1/78	2010	3.90	0.21	0.105	0.100	0.942	11.021
JUN1-JULE/78	1100	3.85	0.92	0.141	0.178	5.455	0.027
JULE-JUL14/78	225	3.98	0.92	0.120	0.178	0.934	1.328
JUL14-JUL28/78	1260	3.77	5.38	0.178	0.100	7.171	4.552
JUL28-AUG17/78	1310	3.68	11.32	0.120	0.224	5.958	0.000
AUG17-AUG28/78	3360	4.00	4.36	0.100	0.087	11.085	9.666
AUG28-SEP20/78	2860	4.15	4.24	0.071	0.085	6.699	8.001

TABLE 30:
Monthly (Sangamo) Sampling Results
for 1978 at Gowganda

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : GOWGANDA

PAGE : 1

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN11-JAN25/78	220	5.73	1.85	0.002	0.035	0.014	0.203
JAN25-FEB28/78	55	4.24		0.058		0.114	
FEB28-MAR31/78							
MAR31-MAY2/78	885	4.01	5.01	0.098	0.112	2.144	2.481
MAY2-MAY21/78	28	5.08		0.010		0.007	
MAY21-JUN25/78	2258	4.02	0.57	0.095	0.121	7.486	10.317
JUN25-JUL12/78	1478	4.08	2.05	0.100	0.077	4.058	2.734
JUL12-JUL28/78							
JUL28-AUG17/78	885	2.49	12.00	0.324	0.352	0.440	7.292
AUG17-AUG28/78	1185	4.31	2.40	0.049	0.048	1.915	1.876

TABLE 31:
Monthly (Sangamo) Sampling Results
for 1978 at Elliott Lake

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : ELLIOTT LAKE

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN6-FEB3/78	370	3.99	4.51	0.102	0.090	1.248	1.101
FEB3-MAR2/78	150	3.97		0.107		0.530	
MAR2-MAR30/78	500	4.15	7.02	0.071	0.140	1.188	2.315
MAR30-MAY4/78	1050	3.85	8.60	0.141	0.132	4.893	4.572
MAY4-MAY30/78	1270	3.90	7.84	0.126	0.157	5.275	6.569
MAY30-JULE/78	1430	4.50	5.88	0.032	0.114	1.492	5.355
JULE-JUL18/78	820	3.75	8.51	0.178	0.198	4.811	5.145
JUL18-AUG1/78	2550	4.00	4.07	0.100	0.081	8.412	6.840
AUG 1-AUG17/78	535	4.00	8.00	0.100	0.150	1.755	3.488
AUG17-AUG28/78	1620	3.92	6.93	0.120	0.139	6.425	7.407
AUG28-SEP18/78	2010	4.05	4.58	0.089	0.092	5.902	6.074

TABLE 32:
Monthly (Sangamo) Sampling Results
for 1978 at North Bay

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : NORTH BAY

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN6-JAN30/78	600	3.93	4.27	0.117	0.096	2.636	1.916
JAN30-FEB28/78	100	4.42		0.012		0.060	
FEB28-MAR31/78	320	4.12	7.57	0.078	0.159	0.881	1.803
MAR31-MAY4/78	575	4.00	8.15	0.100	0.123	1.087	2.337
MAY4-MAY31/78	870	3.95	7.98	0.112	0.159	3.220	4.589
MAY31-JULE/78	2040	4.08	5.80	0.087	0.118	5.082	7.914
JULE-JUL17/78	300	3.81	10.10	0.152	0.202	1.842	2.532
JUL17-JUL31/78	2420	3.77	5.84	0.170	0.117	13.550	9.325
JUL31-AUG17/78	1120	4.00	8.56	0.083	0.173	3.073	6.400
AUG17-AUG29/78	2505	4.15	6.45	0.071	0.129	5.850	10.661
AUG29-SEP18/78	2680	4.03	4.58	0.093	0.092	8.222	8.099

TABLE 33:
Monthly (Sangamo) Sampling Results
for 1978 at Parry Sound

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : PARRY SOUND

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JAN12-JAN31/78	260	5.20	3.44	0.005	0.048	0.045	0.419
JAN31-MAR1/78	50	3.88		0.205		0.345	
MAR1-APR3/78	1130	4.11	0.09	0.078	0.182	2.854	6.[illegible]2
APR3-MAY3/78	1030	3.57	13.53	0.288	0.271	9.146	9.185
MAY3-MAY31/78	585	4.02	0.19	0.093	0.154	1.881	3.151
MAY31-JUL 5/78	2080	5.88	3.53	0.001	0.071	0.090	4.845
JUL 5-JUL20/78	870	3.47	11.78	0.339	0.238	5.725	8.782
JUL20-AUG17/78							
AUG17-SEP1/78	2535	3.70	8.14	0.200	0.163	16.686	13.615
SEP1-SEP21/78	2610	3.83	7.33	0.148	0.147	12.743	12.623

TABLE 34:

Monthly (Sangamo) Sampling Results for 1978 at Marten River

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : MARTEN RIVER

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUL31-AUG17/78	525	3.98	0.38	0.125	0.188	2.159	3.423
AUG17-AUG29/78	2100	4.15	6.09	0.071	0.122	4.905	8.438
AUG29-SEP18/78	2200	4.11	4.47	0.078	0.089	5.661	6.488

TABLE 35:
Monthly (Sangamo) Sampling Results
for 1978 at Ramsey

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : RAMSEY

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN21-JUL27/78	785	3.91	5.17	0.123	0.183	2.881	2.485
JUL27-AUG18/78							
AUG18-AUG31/78	1135	4.45	1.20	0.035	0.024	1.329	0.899
AUG31-SEP15/78	570	4.10	5.04	0.079	0.101	1.486	1.895

TABLE 36:

Monthly (Sangamo) Sampling Results for 1978 at Chiniguchi

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : CHINIGUCHI

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN28-JUL28/78	505	3.87	13.98	0.214	0.278	3.552	4.831
JUL28-AUG 3/78							
AUG3-AUG25/78							

TABLE 37:
Monthly (Sangamo) Sampling Results for 1978 at Massey

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : MASSEY

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN19-JUL18/78	700	3.95	0.35	0.112	0.167	2.591	3.857
JUL18-AUG 1/78	2150	3.90	4.84	0.128	0.207	8.571	8.888
AUG 1-AUG17/78	925	4.08	0.54	0.087	0.171	2.378	4.849
AUG17-AUG28/78	2490	4.02	6.33	0.095	0.127	7.845	10.400
AUG28-SEP18/78	1710	3.98	5.38	0.105	0.108	5.923	6.070

TABLE 38:

Monthly (Sangamo) Sampling Results for 1978 at River Valley

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : RIVER VALLEY

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN25-JUL17,78	225	3.52	22.60	0.302	0.452	3.242	3.348
JUL17-JUL31,78	1540	3.74	8.81	0.182	0.132	11.848	8.481
JUL31-AUG17,78	1200	4.13	8.17	0.074	0.162	3.525	8.469
AUG17-29,78	2615	4.15	4.26	0.71	0.085	6.107	7.350
AUG29-SEP18,78	2470	4.04	4.24	0.091	0.085	7.415	6.910

TABLE 39:
Monthly (Sangamo) Sampling Results for 1978 at Bear Island

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDA - AR8

MINISTRY OF ENVIRONMENT

STATION NAME : BEAR ISLAND

PAGE : 1

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN29-JUL26/78	63K	5.61	3.88	0.000	0.072	0.000	1.500
JUL26-AUG 3/78							
AUG3-AUG25/78	40						

TABLE 40:
Monthly (Sangamo) Sampling Results
for 1978 at Noelville

MONTHLY PRECIPITATION SAMPLE RESULTS

SES - TDR - ARB

MINISTRY OF ENVIRONMENT

STATION NAME : NOELVILLE

PERIOD START/END	VOL (ML.)	PH	ACIDITY AS CACO3 (MG/L)	H_F (MG/L)	H_T (MG/L)	DEPOSITION H_F (MG/M2)	DEPOSITION H_T (MG/M2)
JUN12-JUL 5/78	530	4.12	5.17	0.076	0.122	1.328	2.150
JUL 5-JUL14/78	600	4.75	5.00	0.010	0.114	0.253	1.874
JUL14-JUL28/78	1545	3.75	9.20	0.178	0.128	9.004	6.482
JUL28-AUG17/78	1300	4.05	9.30	0.000	0.150	3.000	7.440
AUG17-AUG28/78	2760	3.90	9.60	0.126	0.192	11.463	17.482
AUG28-SEP20/78	2330	4.06	4.35	0.087	0.087	6.695	6.695

TABLE 41 Operation Conditions of Major Industries in Sudbury for 1978

Time	Industry	Operating Conditions		
		Normal	Shutdown	Strike
Jan-Jun	INCO	X		
	Falconbridge	X		
July 1- Aug 21	Falconbridge		X	
July 17 - Aug. 27	INCO		X	
Sept.16 -	INCO			X

TABLE 42: pH and H_F Concentration and Deposition Statistics for the Shutdown and Operating Periods*

PARAMETER	SHUTDOWN	OPERATING
H_F^+ Concentration	Geo. Mean = 0.066 mg/l	Geo. Mean = 0.063 mg/l
	Upper Limit(95%)=0.079	Upper Limit(95%)=0.071
	Lower Limit(95%)=0.055	Lower Limit(95%)=0.056
	Geo. Std. Dev. = 2.36	Geo. Std. Dev. = 2.00
	No. of Values = 96	No. of Values = 123
H_F^+ Deposition	Geo. Mean = 0.58 mg/m^2	Geo. Mean = 0.66 mg/m^2
	Upper Limit(95%) = 0.72	Upper Limit(95%)=0.78
	Lower Limit(95%) = 0.47	Lower Limit(95%)=0.56
	Geo. Std. Dev. = 2.86	Geo. Std. Dev. = 2.58
	No. of Values = 93	No. of Values = 123
pH	Mean = 4.18	Mean = 4.20
	Upper Limit(95%)= 4.26	Upper Limit(95%)= 4.25
	Lower Limit(95%)= 4.10	Lower Limit(95%)= 4.15

*Event data from all stations meeting the criterion of a 24 $\pm$ 6 hour collection period.
In a few additional cases, where there was a large difference between pH values as measured in the field and the laboratory, the data were excluded from the statistical analysis (-in most of these cases, there was evidence of sample contamination).

FIGURE 1: The Cumulative Precipitation - Sampling Network



FIGURE 2: The Event Precipitation Sampling Network



APPENDIX 1

Temporal Variation of Event Precipitation Sampling Results



FIGURE A1-1:
Event Sampling Results for June September, 1978 at Ramsey

FIGURE A1-2:
Event Sampling Results for June - September, 1978 at Burwash





FIGURE A1-3:
Event Sampling Results for June - September, 1978 at New Sudbury



FIGURE A1-4:
Event Sampling Results for June - September, 1978 at Long Lake



FIGURE A1-5:
Event Sampling Results for June - September, 1978 at Wanup



FIGURE A1-6:
Event Sampling Results for June - September, 1978 at Lively



FIGURE A1-7:
Event Sampling Results for June - September, 1978 at Azilda



FIGURE A1-8:
Event Sampling Results for June - September, 1978 at Skead



FIGURE A1-9:
Event Sampling Results for June - September, 1978 at McCharles Lake



FIGURE A1-10:
Event Sampling Results for June - September, 1978 at Windy Lake



FIGURE A1-11:
Event Sampling Results for June - September, 1978 at Lake Wanapatei



FIGURE A1-12:
Event Sampling Results for June - September, 1978 at Verner



FIGURE A1-13:
Event Sampling Results for June - September, 1978 at North Bay



FIGURE A1-14:
Event Sampling Results for June - September, 1978 at Killarney



FIGURE A1-15:
Event Sampling Results for June - September 1978 at Charleton Stn.



FIGURE A1-16:
Event Sampling Results for June - September, 1978 at Markstay



FIGURE A1-17:
Event Sampling Results for 1 June - September, 1978 at Lake Panache



FIGURE A1-18:
Event Sampling Results for June - September, 1978 at Thessalon

FIGURE A1-19:
Event Sampling Results for June - September, 1978 at Laurentian U.





FIGURE A1-20:
Event Sampling Results for June - September, 1978 at Grundy Park

APPENDIX 2

Temporal Variation of Cumulative (Sangamo) Precipitation Sampling Results



FIGURE A2-1:
Monthly (Sangamo) Sampling Results for 1978 at Burwash



FIGURE A2-2:
Monthly (Sangamo) Sampling Results for 1978 at Panache



FIGURE A2-3:
Monthly (Sangamo) Sampling Results for 1978 at Windy Lake



FIGURE A2-4:
Monthly (Sangamo) Sampling Results for 1978 at Hanmer



FIGURE A2-5:
Monthly (Sangamo) Sampling Results for 1978 at Killarney



FIGURE A2-6:
Monthly (Sangamo) Sampling Results for 1978 at St. Charles



FIGURE A2-7:
Monthly (Sangamo) Sampling Results for 1978 at Gowganda



FIGURE A2-8:
Monthly (Sangamo) Sampling Results for 1978 at Elliott Lake



FIGURE A2-9:

Monthly (Sangamo) Sampling Results for 1978 at North Bay



FIGURE A2-10:

Monthly (Sangamo) Sampling Results for 1978 at Parry Sound



FIGURE A2-11:
Monthly (Sangamo) Sampling Results for 1978 at Marten River



FIGURE A2-12:
Monthly (Sangamo) Sampling Results for 1978 at Ramsey



FIGURE A2-13:
Monthly (Sangamo) Sampling Results for 1978 at Massey



FIGURE A2-14:
Monthly (Sangamo) Sampling Results for 1978 at River Valley



FIGURE A2-15:
Monthly (Sangamo) Sampling Results for 1978 at Noelville

APPENDIX 3

Contour maps of precipitation volume, pH and hydrogen ion deposition for several rainfall events during the smelter shutdown period.

Volume maps are not presented for the events of July 18-19 and July 19-20 because only estimated volumes were available. A large open circle on each map indicates the location of the maximum rainfall for each event.

pH maps have a large open circle at the location of the minimum pH (highest hydrogen ion concentration).

H^+ deposition maps have a large open circle at the location of the maximum H^+ deposition. In the case of July 18-19 and July 19-20, the H^+ deposition was calculated using estimated volumes.

Arrows on each map represent the direction of origin of the air mass transported into the Sudbury area during the precipitation event, the number inserted in one arrow represents the angular deviation between the trajectories at the start and end of the sampling period. When the term LGl appears, it refers to the meteorological condition of an extremely light pressure gradient on the first day of sampling. Very little flow of air into the region occurs under these conditions.



FIGURE A3-1A : Contours of Precipitation pH - July 18-19, 1978



FIGURE A3-1B : Contours of Free Hydrogen Ion Deposition (mg/m^2) - July 18-19, 1978



FIGURE A3-2A : Contours of Precipitation pH - July 19-20, 1978



FIGURE A3-2B : Contours of Free Hydrogen Ion Deposition (mg/m^2)
July 19-20, 1978



FIGURE A3-3A : Contours of Collected Precipitation Volume(1) - July 22-23, 1978



FIGURE A3-3B · Contours of Precipitation pH - July 22-23, 1978



FIGURE A3-3C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - July 22-23, 1978



FIGURE A3-4A : Contours of Collected Precipitation Volume (1) - July 26-27, 1978



FIGURE A3-4B : Contours of Precipitation pH - July 26-27, 1978

July 22-23, 1978



FIGURE A3-4C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - July 26-27, 1978



FIGURE A3-5A : Contours of Collected Precipitation Volume (l) - July 28-29, 1978



FIGURE A3-5B : Contours of Precipitation pH - July 28-29, 1978



FIGURE A3-5C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - July 28-29, 1978



FIGURE A3-6A : Contours of Collected Precipitation Volume (l) - July 29-30, 1978



FIGURE A3-6B : Contours of Precipitation pH - July 29-30, 1978



FIGURE A3-6C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - July 29-30, 1978



FIGURE A3-7A : Contours of Collected Precipitation Volume (1) - August 2-3, 1978



FIGURE A3-7B : Contours of Precipitation pH - August 2-3, 1978



FIGURE A3-7C : Contours of Free Hydrogen Ion Deposition (mg/m^2)
- August 2-3, 1978



FIGURE A3-8A : Contours of Collected Precipitation Volume (1) - August 8-9, 1978



FIGURE A3-8B : Contours of Precipitation pH - August 8-9, 1978



FIGURE A3-8C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - August 8-9, 1978



FIGURE A3-9A : Contours of Collected Precipitation Volume (l) - August 15-16, 1978



FIGURE A3-9B : Contours of Precipitation pH - August 15-16, 1978



FIGURE A3-9C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - August 15-16, 1978



FIGURE A3-10A : Contour of Collected Precipitation Volume (1) - August 16-17, 1978



FIGURE A3-10B : Contours of Precipitation pH - August 16-17, 1978



FIGURE A3-10C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - August 16-17, 1978



FIGURE A3-11A : Contour of Collected Precipitation Volume (1) - August 18-19, 1978



FIGURE A3-11B : Contours of Precipitation pH - August 18-19, 1978



FIGURE A3-11C : Contours of Free Hydrogen Ion Deposition (mg/m^2) - August 18-19, 1978

APPENDIX 4

Volume, pH and Hydrogen Ion Deposition Maps for the Cumulative (Sangamo) Precipitation Samples.

Volume and H^+ Deposition Maps display conservative values and should be examined for the relative distribution only.

Large open circles refer to the maximum volume, minimum pH and maximum H^+ deposition on their respective maps.

Arrows on the shutdown period maps indicate the air mass inflow to the region throughout the collection period. The percentage numbers in the arrows represent the frequency of flow from each direction for all of the precipitation events during the collection period.

Collection of the samples usually occurred over a two to three day period because of the large distances between samplers. The collection periods indicated on the maps are approximate for this reason.



FIGURE A4-1A: Contours of Cumulative Precipitation Volume (1) Early July, 1978; INCO-only operating period

...ntours of Free Hydrogen Ion Deposition (mg/m^2) - August 18-19, 1978



FIGURE A4-1B: Contours of Cumulative Precipitation pH
Early July, 1978 - INCO-only operating period



FIGURE A4-1C: Contours of Cumulative Precipitation H_P^+ Deposition ($mg/m^2/day$)
Early July, 1978 - INCO only operating period



FIGURE A4-2A: Contours of Cumulative Precipitation Volume (1)
Late July, 1978 - No Local Sources Operating



FIGURE A4-2B: Contours of Cumulative Precipitation pH
Late July, 1978; No Local Sources Operating



FIGURE A4-2C: Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2/day)
Late July, 1978 - No Local Sources Operating



FIGURE A4-3A: Contours of Cumulative Precipitation Volume(1)
Early August, No Local Sources Operating



FIGURE A4-3B: Contours of Cumulative Precipitation pH
Early August; No Local Sources Operating



FIGURE A4-3C: Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2/day)
Early August; No Local Sources Operating



FIGURE A4-4A: Contours of Cumulative Precipitation Volume (1)
Late August, 1978 Falconbridge only Operating Period



FIGURE A4-4B: Contours of Cumulative Precipitation pH
Late August, 1978, Falconbridge only Operating Period



FIGURE A4-4C: Contours of Cumulative Precipitation H_F^+ Deposition (mg/m^2/day) Late August, 1978, Falconbridge Only Operating Period



FIGURE A4-5A: Contours of Cumulative Precipitation Volume (1)
Early September, 1978 INCO & Falconbridge Both Operating



FIGURE A4-5B: Contours of Cumulative Precipitation pH
Early September, 1978 INCO & Falconbridge Both Operating



FIGURE A4-5C: Contours of Cumulative Precipitation H_E^+ Deposition ($mg/m^2/day$) Early September, 1978, INCO & Falconbridge Both Operating